USPTO PATENT FULL-TEXT AND IMAGE DATABASE

Searching 1976 to present...

Results of Search in 1976 to present db for:

ACLM/"of at least about": 60788 patents.

Hits 1 through 50 out of 60788

	PAT. NO.	Title
1	<u>6,892,011</u>	Method and apparatus for fabrication of plastic fiber optic block materials and large flat panel displays
2	6,891,764	Apparatus and method to read a nonvolatile memory
3	6,891,735	EMI shielded adapter for fiber optic connector systems
4	6,891,712	Field converter
5	6,891,696	Aerodynamic base design for TMR reduction
6	6,891,343	Multiphase motors with single point sensing based commutation
7	6,891,109	Monolithic ceramic substrate and method for making the same
8	6,891,075	Processes for oxidative dehyrogenation
9	6,891,035	Process for bulk autoclaving
10	6,891,015	Solventless preparation of ester-substituted diaryl carbonates
11	6,891,010	Silicone hydrogels based on vinyl carbonate endcapped fluorinated side chain polysiloxanes
12	6,890,995	Fluoropolymer compositions
13	6,890,992	Golf ball cores with improved durability
14	6,890,990	Co-agents for the preparation of thermoplastic elastomeric blends of rubber and polyolefins
15	6,890,986	Substantially pure bulk pyrocarbon and methods of preparation
16	6,890,968	Prepolymerized filler in dental restorative composite
17	6,890,965	Foamed composites and methods for making same
18	6,890,962	Gas-to-liquid CO2 reduction by use of H2 as a fuel
19	6,890,912	Sunscreen formulations containing nucleic acids
20	6,890,907	Methods and unit dose formulations for the inhalation administration of tobramycin
21	6,890,892	Compositions and methods for removal of incidental soils from fabric articles via soil modification
22	6,890,883	Biaxially stretched polyester as a photo-receptive layer
23	6,890,877	Enhanced fluid/solids contacting in a fluidization reactor

- 24 6,890,865 Low k film application for interlevel dielectric and method of cleaning etched features 25 6,890,858 T Methods of forming materials over uneven surface topologies, and methods of forming insulative materials over and between conductive lines 26 6,890,831 Method of fabricating semiconductor device 27 6,890,827 Method of fabricating a silicon on insulator transistor structure for imbedded DRAM 28 6,890,779 Nitride-based semiconductor device and method of fabricating the same 29 6,890,725 Modulators of B-lymphocyte activation, myosin-1F compositions and methods of use 30 6,890,656 THigh rate deposition of titanium dioxide 31 6,890,638 T Ballistic resistant and fire resistant composite articles 32 6,890,633 Process for the continuous production of a preform mat, and a preform and its use 33 6,890,624 Self-assembled structures 34 6,890,580 Method for preparing dehydrated starch products 35 6,890,571 Slowly digestible starch product 36 6,890,549 Compositions comprising dietary fat complexer and methods for their use 37 6,890,548 **T** Rumen bypass supplement 38 6,890,521 Photostabilization of a sunscreen composition with low levels of an αcyano-β, β-diphenylacrylate 39 6,890,498 T Burner and method for partly oxidising a gas stream comprising hydrogen sulphide and ammonia 40 6,890,479 T System and method for steel making 41 6,890,435 The Hollow fiber microfiltration membranes and a method of making these membranes 42 6,890,333 Method and apparatus for bone fixation with secondary compression 43 6,890,269 Temporary golf club shaft-component connection 44 6,890,122 T Highway marker device
- 45 6,890,093 Multi-stream microfludic mixers 46 6,889,969 T Cutting board with removable footings
- 47 6,889,967 The Perforated vacuum hold down surface
- 48 6,889,923 Tr Powder processing
- 49 6,889,877 T Portable fluid-transporting system
- 50 6,889,871 Internally generated rotor set for low viscosity and abrasive metering applications

THIS PAGE BLANK (USP) U,